




lilibet
HIGH**LIGHTS**







direct/indirect low output
pendant




direct/indirect high output
pendant



direct
surface mounted/pendant



direct/indirect low output
surface mounted



direct/indirect high output
surface mounted

Housing

powder coated Aluminium RAL 9006, powder coated white RAL 9016, powder coated black RAL 9005

230V IP20 $R_a > 80$ up to L80/50.000h MacAdam 3 DALI switchDIM



LED

3000 K, 4000 K, dynamic white

up to 139 lm/W

$R_a > 80$, MacAdam 3

non-dim/DALI dim

Blue light hazard: RG0 IEC 62471

Lifetime

up to L80/50.000 h

Optic

direct

direct/indirect

satiné


Options

Emergency lighting 3h

RAL nach Wahl | RAL of your choice | RAL au choix | RAL a scelta



lilibet **HIGHLIGHTS**



lilibet COLOURS

										STANDARD		
										RAL 9005	RAL 9006	RAL 9016
RAL 1001	RAL 1003	RAL 1004	RAL 1013	RAL 1014	RAL 1015	RAL 1016	RAL 1018	RAL 1019	RAL 1021			
RAL 1023	RAL 1035	RAL 1036	RAL 2000	RAL 2001	RAL 2003	RAL 2003	RAL 2009	RAL 3000	RAL 3002			
RAL 3003	RAL 3009	RAL 3011	RAL 3013	RAL 3016	RAL 3018	RAL 3020	RAL 3031	RAL 3032	RAL 3033			
RAL 4005	RAL 4010	RAL 4011	RAL 4012	RAL 5002	RAL 5004	RAL 5010	RAL 5012	RAL 5013	RAL 5018			
RAL 5023	RAL 5024	RAL 5025	RAL 5026	RAL 6013	RAL 6014	RAL 6017	RAL 6018	RAL 6019	RAL 6027			
RAL 6034	RAL 7001	RAL 7004	RAL 7006	RAL 7011	RAL 7012	RAL 7013	RAL 7015	RAL 7016	RAL 7021			
RAL 7022	RAL 7024	RAL 7030	RAL 7031	RAL 7032	RAL 7035	RAL 7037	RAL 7038	RAL 7039	RAL 7043			
RAL 7044	RAL 7047	RAL 7048	RAL 8003	RAL 8011	RAL 8012	RAL 8016	RAL 8017	RAL 8019	RAL 8024			
RAL 8028	RAL 8029	RAL 9001	RAL 9002	RAL 9011	RAL 9017	RAL 9022	Gunnery GREY	Capital COPPER	Glaring GOLD			

gold

silver

red

white

black

iron